




R2SDM1500-335-MG0

PRODUCT MANUAL

嘉腾机器人
400 830 1028




R2SDM1500-335-MG0

L1190×W860×H280mm

Composite navigation AGV; bi-directional operation; rotates in place; online charging

- 1、 Bidirectional operation, support in-situ rotation, compact size, flexible handling
- 2、 Natural navigation + QR code navigation application, realize autonomous positioning
- 3、 Strong environmental adaptability, can realize the collection of real environment data.
- 4、 Adopting two-dimensional code read head for secondary positioning, more accurate precision.
- 5、 It can be applied to warehousing, automobile factory and other logistics transportation weight in 1500KG and below scenes.

CHARACTERISTIC







R2SDM1500-335-MG0

L1190×W860×H280mm

Model	R2SDM1500-335-MG0	
Basic function	Carrying& lifting	
Weight	≤326kg	
Capacity	≤1500KG	
Direction	QR code+Natural Navigation	
Drive	Forward/Backward/Rotate in place	
Drive	Chassis differential	
Forward speed	≤0.8m/s	
Acceleration	≤ 0.2 m/s2	
Climbing ability	≤2%	
Minimum turning radius	Rotate in place	
Lifting stroke	≤60mm	
Dimension	L1190×W860×H280mm	
Motor	Type	Servo motor
	Output power	1000w×2
Control	Industrial computer	
Drive module	Drive wheel	Φ 200 Polyurethane
Accumulator	D48V、 45AH (Lithium iron battery)	
Charging mode	Online Charging (back charging)	

VIEW



R2SDM1500-335-MG0

L1190×W860×H280mm



Let Jaten shine on Mars



Search " Jaten "

Address

7666 Market St, Canton MI 48187

Email

Marketing@jtrobots.com

Website

www.jtrobots.com